



Natural gas non-condensing boilers: input capacity 1,000-1,700 MBTUH

Rebates for your business

Download the rebate application at nicorgas.com/apply for eligibility requirements and program terms and conditions.

Offerings and availability of funding are subject to change. To ensure eligibility, please use the most current qualifying products list available at nicorgas.com/bizrebates

The Nicor Gas Energy Efficiency Program is a multi-year program funded by Nicor Gas customers in compliance with Illinois law.

Manufacturer	Model Name	Thermal Efficiency (%)	Input (MBTUH)
AERCO	CFR 1500	85.6	1500
BRADFORD WHITE	BMT2H1000	85.0	1000
BRADFORD WHITE	BMT2H1250	85.2	1250
BRADFORD WHITE	BMT2H1500	85.2	1500
BRADFORD WHITE	BOCH1250	87.8	1250
BRADFORD WHITE	BOCH1500	87.1	1500
BRADFORD WHITE	BWCH1000	85.0	1000
BRADFORD WHITE	BWCH1250	85.2	1250
BRADFORD WHITE	BWCH1500	85.2	1500
CAMUS HYDRONICS	DFNH-1101-MG	85.9	1100
CAMUS HYDRONICS	DFNH-1201-MG	85.9	1200
CAMUS HYDRONICS	DFNH-1501-MG	85.7	1500
CAMUS HYDRONICS	DFPH-1101-MG	85.9	1100
CAMUS HYDRONICS	DFPH-1201-MG	85.9	1200
CAMUS HYDRONICS	DFPH-1501-MG	85.7	1500
CAMUS HYDRONICS LTD.	DFNH-1100-MG	85.3	1100
CAMUS HYDRONICS LTD.	DFNH-1100-MS	85.3	1100
CAMUS HYDRONICS LTD.	DFNH-1200-MG	85.3	1200
CAMUS HYDRONICS LTD.	DFNH-1200-MS	85.3	1200
CAMUS HYDRONICS LTD.	DFNH-1500-MG	85.1	1500
CAMUS HYDRONICS LTD.	DFNH-1500-MS	85.3	1500
CAMUS HYDRONICS LTD.	DFPH-1100-MG	85.3	1100
CAMUS HYDRONICS LTD.	DFPH-1100-MS	85.6	1100

Manufacturer	Model Name	Thermal Efficiency (%)	Input (MBTUH)
CAMUS HYDRONICS LTD.	DFPH-1200-MG	85.3	1200
CAMUS HYDRONICS LTD.	DFPH-1200-MS	85.3	1200
CAMUS HYDRONICS LTD.	DFPH-1500-MG	85.3	1500
CAMUS HYDRONICS LTD.	DFPH-1500-MS	85.3	1500
DE DIETRICH	GT 337A	85.2	1024
DE DIETRICH	GT 338A	85.2	1226
DE DIETRICH	GT 339A	85.2	1442
HAMILTON ENGINEERING	HFH 01000 A	85.3	1000
HAMILTON ENGINEERING	HFH 01250 A	85.3	1250
HAMILTON ENGINEERING	HFH 01500 A	85.2	1500
HAMILTON ENGINEERING	HZH 01000 A	85.0	1000
HAMILTON ENGINEERING	HZH 01250 A	85.0	1250
HAMILTON ENGINEERING	HZH 01500 A	85.0	1500
LAARS	MT2H1000	85.0	1000
LAARS	MT2H1250	85.2	1250
LAARS	MT2H1500	85.2	1500
LAARS	OCH1250	87.8	1250
LAARS	OCH1500	87.1	1500
LAARS	PNCH1000	85.0	1000
LAARS	PNCH1250	85.2	1250
LAARS	PNCH1500	85.2	1500
LOCHINVAR	CHL1262	85.0	1260
LOCHINVAR	CHL1442	85.0	1440
LOCHINVAR	CHN1262	85.0	1260
LOCHINVAR	CHN1442	85.0	1440
LOCHINVAR	PBL1302	85.0	1300
LOCHINVAR	PBL1302-F9	85.0	1300
LOCHINVAR	PBL1501-M9	85.0	1500
LOCHINVAR	PBL1701-M9	85.0	1700
LOCHINVAR	PBN1302	85.0	1300
LOCHINVAR	PBN1302-F9	85.0	1300
LOCHINVAR	PBN1501-M9	85.0	1500
LOCHINVAR	PBN1701-M9	85.0	1700
PARKER BOILER COMPANY	G1008R	85.8	1008
PARKER BOILER COMPANY	G1536R	85.2	1536
Patterson-Kelley	N-1000 MFD	85.0	1000
Patterson-Kelley	N-1500 MFD	85.0	1500
RAYPAK	H7-1253 *	86.2	1250
RAYPAK	H7-1503 *	86.2	1500
RBI WATER HEATERS	FB1000	85.0	1000
RBI WATER HEATERS	FB1250	85.0	1250
RBI WATER HEATERS	FB1500	85.0	1500
RBI WATER HEATERS	MB1000	85.3	1000
RBI WATER HEATERS	MB1250	85.3	1250
RBI WATER HEATERS	MB1500	85.2	1500
THERMAL SOLUTIONS	EV(A,S)1000B**-*A*	85.0	1000
THERMAL SOLUTIONS	EV(A,S)1000B**-*B*	85.0	1000
THERMAL SOLUTIONS	EV(A,S)1000B**-*C*	85.0	1000
THERMAL SOLUTIONS	EV(A,S)1000B**-*D*	85.0	1000
THERMAL SOLUTIONS	EV(A,S)1000B**-*E*	85.0	1000

Manufacturer	Model Name	Thermal Efficiency (%)	Input (MBTUH)
THERMAL SOLUTIONS	EV(A,S)1000B**-*F*	85.0	1000
THERMAL SOLUTIONS	EV(A,S)1500B**-*A*	85.0	1500
THERMAL SOLUTIONS	EV(A,S)1500B**-*B*	85.0	1500
THERMAL SOLUTIONS	EV(A,S)1500B**-*C*	85.0	1500
THERMAL SOLUTIONS	EV(A,S)1500B**-*D*	85.0	1500
THERMAL SOLUTIONS	EV(A,S)1500B**-*E*	85.0	1500
THERMAL SOLUTIONS	EV(A,S)1500B**-*F*	85.0	1500
THERMAL SOLUTIONS	EVO1000B**-*A*	85.0	1000
THERMAL SOLUTIONS	EVO1000B**-*B*	85.0	1000
THERMAL SOLUTIONS	EVO1000B**-*C*	85.0	1000
THERMAL SOLUTIONS	EVO1000B**-*D*	85.0	1000
THERMAL SOLUTIONS	EVO1000B**-*E*	85.0	1000
THERMAL SOLUTIONS	EVO1000B**-*F*	85.0	1000
THERMAL SOLUTIONS	EVO1500B**-*A*	85.0	1500
THERMAL SOLUTIONS	EVO1500B**-*B*	85.0	1500
THERMAL SOLUTIONS	EVO1500B**-*C*	85.0	1500
THERMAL SOLUTIONS	EVO1500B**-*D*	85.0	1500
THERMAL SOLUTIONS	EVO1500B**-*E*	85.0	1500
THERMAL SOLUTIONS	EVO1500B**-*F*	85.0	1500