



Natural gas non-condensing boilers: input capacity up to 299 MBTUH

Rebates for your business

Download the rebate application at nicorgas.com/apply for eligibility requirements and program terms and conditions.

Offerings and availability of funding are subject to change. To ensure eligibility, please use the most current qualifying products list available at nicorgas.com/bizrebates

The Nicor Gas Energy Efficiency Program is a multi-year program funded by Nicor Gas customers in compliance with Illinois law.

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
ADVANTAGE	AGDV3-EN	85.0	70.00
ADVANTAGE	AGDV3-EP	85.0	63.00
ADVANTAGE	AGDV4-EN	85.0	105.00
ADVANTAGE	AGDV4-EP	85.0	94.50
ADVANTAGE	AGDV5-EN	85.0	140.00
ADVANTAGE	AGDV5-EP	85.0	126.00
ADVANTAGE	AGDV6-EN	85.0	175.00
ADVANTAGE	AGDV6-EP	85.0	157.50
Archer Boilers	HLR-3-063P	85.0	63.00
Archer Boilers	HLR-3-070N	85.0	70.00
Archer Boilers	HLR-4-095P	85.0	94.50
Archer Boilers	HLR-4-105N	85.0	105.00
Archer Boilers	HLR-5-126P	85.0	126.00
Archer Boilers	HLR-5-140N	85.0	140.00
Archer Boilers	HLR-6-158P	85.0	157.50
Archer Boilers	HLR-6-175N	85.0	175.00
Archer Boilers	HLR-7-189P	85.0	189.00
Archer Boilers	HLR-7-210N	85.0	210.00
BURNHAM BY U.S. BOILER	ES23	85.0	70.00
BURNHAM BY U.S. BOILER	ES24	85.0	105.00
BURNHAM BY U.S. BOILER	ES25	85.0	140.00
BURNHAM BY U.S. BOILER	ES26	85.0	175.00
BURNHAM BY U.S. BOILER	ES27	85.0	210.00
BURNHAM BY U.S. BOILER	ES28	85.0	245.00

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
BURNHAM BY U.S. BOILER	ES29	85.0	280.00
BURNHAM BY U.S. BOILER	X-PV3N	85.0	70.00
BURNHAM BY U.S. BOILER	X-PV3P	85.0	63.00
BURNHAM BY U.S. BOILER	X-PV4N	85.0	105.00
BURNHAM BY U.S. BOILER	X-PV4P	85.0	94.50
BURNHAM BY U.S. BOILER	X-PV5N	85.0	140.00
BURNHAM BY U.S. BOILER	X-PV5P	85.0	126.00
BURNHAM BY U.S. BOILER	X-PV6N	85.0	175.00
BURNHAM BY U.S. BOILER	X-PV6P	85.0	157.50
BURNHAM BY U.S. BOILER	X-PV7N	85.0	210.00
BURNHAM BY U.S. BOILER	X-PV7P	85.0	189.00
CROWN BOILER	BWF063BL	85.0	63.00
CROWN BOILER	BWF070BN	85.0	70.00
CROWN BOILER	BWF094BL	85.0	94.50
CROWN BOILER	BWF105BN	85.0	105.00
CROWN BOILER	BWF126BL	85.0	126.00
CROWN BOILER	BWF140BN	85.0	140.00
CROWN BOILER	BWF157BL	85.0	157.50
CROWN BOILER	BWF175BN	85.0	175.00
CROWN BOILER	BWF189BL	85.0	189.00
CROWN BOILER	BWF210BN	85.0	210.00
NEW YORKER	PVCG30CN	85.0	70.00
NEW YORKER	PVCG30CP	85.0	63.00
NEW YORKER	PVCG40CN	85.0	105.00
NEW YORKER	PVCG40CP	85.0	94.50
NEW YORKER	PVCG50CN	85.0	140.00
NEW YORKER	PVCG50CP	85.0	126.00
NEW YORKER	PVCG60CN	85.0	175.00
NEW YORKER	PVCG60CP	85.0	157.50
NEW YORKER	PVCG70CN	85.0	210.00
NEW YORKER	PVCG70CP	85.0	189.00
PEERLESS	PSCII-03-SPRK	86.0	65.00
PEERLESS	PSCII-04-SPRK	85.0	90.00
PEERLESS	PSCII-05-SPRK	85.0	120.00
PEERLESS	PSCII-06-SPRK	85.1	150.00
PENSOTTI	DK2-3NG	85.0	85.00
PENSOTTI	DK2-5NG	85.3	175.00
PENSOTTI	DK2-6NG	85.4	194.00
PENSOTTI	DK2-7NG	85.5	224.00
PENSOTTI	DK2-8NG	85.7	250.00
PUREPRO	AGDV3-EN	85.0	70.00
PUREPRO	AGDV3-EP	85.0	63.00
PUREPRO	AGDV4-EN	85.0	105.00
PUREPRO	AGDV4-EP	85.0	94.50
PUREPRO	AGDV5-EN	85.0	140.00
PUREPRO	AGDV5-EP	85.0	126.00
PUREPRO	AGDV6-EN	85.0	175.00
PUREPRO	AGDV6-EP	85.0	157.50
PUREPRO	P3G	85.0	90.00
PUREPRO	P4G	85.1	115.00
PUREPRO	P5G	85.1	150.00

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
RAYPAK	H3-HD101*R	85.0	100.00
RAYPAK	H3-HD151*R	85.0	150.00
RAYPAK	H3-HD201*R	85.0	199.00
RAYPAK	H3-HD251*R	85.0	250.00
RAYPAK	H3-HD301*R	85.0	299.00
Saint Roch	SRU3	85.0	140.00
Saint Roch	SRU3LT	85.0	140.00
Saint Roch	SRU4	85.0	175.00
Saint Roch	SRU4LT	85.0	175.00
Saint Roch	SRU5	85.0	210.00
Saint Roch	SRU5LT	85.0	210.00
Saint Roch	SRU6	85.0	245.00
Saint Roch	SRU6LT	85.0	245.00
SMITH CAST IRON BOILERS	GVSC-03	86.0	65.00
SMITH CAST IRON BOILERS	GVSC-04	85.0	90.00
SMITH CAST IRON BOILERS	GVSC-05	85.0	120.00
SMITH CAST IRON BOILERS	GVSC-06	85.1	150.00
SOLAIA	SFG3100	85.0	140.00
SOLAIA	SFG3100T	85.0	140.00
SOLAIA	SFG4125	85.0	175.00
SOLAIA	SFG4125T	85.0	175.00
SOLAIA	SFG5150	85.0	210.00
SOLAIA	SFG5150T	85.0	210.00
SOLAIA	SFG6175	85.0	245.00
SOLAIA	SFG6175T	85.0	245.00
SOLAIA	SL375G	85.0	90.00
SOLAIA	SL4100G	85.1	115.00
SOLAIA	SL5125G	85.1	150.00
SUPER HOT	MG-100-N-E	85.0	100.00
SUPER HOT	MG-100-P-E	85.0	100.00
SUPER HOT	MG-125-N-E	85.0	125.00
SUPER HOT	MG-125-P-E	85.0	125.00
SUPER HOT	MG-150-N-E	85.0	150.00
SUPER HOT	MG-150-P-E	85.0	150.00
SUPER HOT	MG-50-N-E	85.0	50.00
SUPER HOT	MG-50-P-E	85.0	50.00
SUPER HOT	MG-75-N-E	85.0	75.00
SUPER HOT	MG-75-P-E	85.0	75.00
SUPER HOT	SG-135-N-E	85.0	135.00
SUPER HOT	SG-135-P-E	85.0	135.00
SUPER HOT	SG-180-N-E	85.0	180.00
SUPER HOT	SG-180-P-E	85.0	180.00
SUPER HOT	SG-225-N-E	85.0	225.00
SUPER HOT	SG-225-P-E	85.0	225.00
SUPER HOT	SG-270-N-E	85.0	270.00
SUPER HOT	SG-270-P-E	85.0	270.00
U.S. Boiler Company	ES23	85.0	70.00
U.S. Boiler Company	ES24	85.0	105.00
U.S. Boiler Company	ES25	85.0	140.00
U.S. Boiler Company	ES26	85.0	175.00
U.S. Boiler Company	ES27	85.0	210.00

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
U.S. Boiler Company	ES28	85.0	245.00
U.S. Boiler Company	ES29	85.0	280.00
U.S. Boiler Company	X-PV3N	85.0	70.00
U.S. Boiler Company	X-PV3P	85.0	63.00
U.S. Boiler Company	X-PV4N	85.0	105.00
U.S. Boiler Company	X-PV4P	85.0	94.50
U.S. Boiler Company	X-PV5N	85.0	140.00
U.S. Boiler Company	X-PV5P	85.0	126.00
U.S. Boiler Company	X-PV6N	85.0	175.00
U.S. Boiler Company	X-PV6P	85.0	157.50
U.S. Boiler Company	X-PV7N	85.0	210.00
U.S. Boiler Company	X-PV7P	85.0	189.00